








**Redefine Diamond Tools**





**COREDIA M**  
REDEFINE DIAMOND TOOLS

## COMPANY PROFILE

Corediam Tools Co., Ltd, as a high-tech enterprise, concentrates on researching & developing, manufacturing and marketing diamond tools industry.

We have the most extensive, innovative and powerful range of diamond tools for construction, stone and DIY markets. Corediam strives to be the leading professional supplier in the world by technology innovation.

The main product ranges include laser welded saw blade, brazing saw blade, sinter hot-pressed saw blade, diamond grinding cup wheel, laser welded core drill, diamond wire etc. The advanced automatic pressing, sintering, German Dr.Fritsch full-automatic laser welding machinery have been adopted in manufacturing lines, and all the products are approved by rigorous inspection and quality control process. Corediam products are also authenticated by Germany MPA standard and European Union EN13236 Standard.

Today Corediam export-sales network has rapidly expanded to more than 50 countries, including North America, Europe, Middle East, Southeast Asia and South America. In China, a perfect long-term strategic cooperative partnership has been established between us and the diamond tools distributors.

As a reliable supplier of global diamond tools industry, we also focus on the professional total solutions of cutting, grinding and drilling for end users. In global, we provide the clients of mega project, such as road bridge, building renovation, railway, airport, stone mine, fire protection, and nuclear power plant, with professional diamond tools product and solutions, which is used in road saw, wire saw, wall saw, core drill, stone saw and grinding machine. It ensures that users can complete a great job.

Corediam will insist on innovating and developing, and strives to create the redefined diamond tools leader to serve the global markets.






ACCESSORIES


DIY TOOLS

STONE TOOLS

CONSTRUCTION TOOLS







# CONSTRUCTION TOOLS

## ★ Diamond Saw Blade

General purpose blade • Concrete blade • Asphalt blade • Wall saw blade  
Tile blade • Ring saw blade

## ★ Grinding Cup Wheel

Single row cup wheel • Double row cup wheel • T Segment cup wheel  
Cyclone cup wheel • Grinding plate • Grinding disc

## ★ Diamond Core Drill


Wet core drill • Dry core drill • Three-piece diamond core drill  
Core drill barrels • Diamond segments

## ★ Diamond Wire

Concrete wire

## ★ Diamond Saw Blade

### General purpose blade



CGLA

**Laser welded blade-7mm height**

Applications:cutting bricks, block, slate, concrete,masonry with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CGLA10507	105mm	7mm	2.0mm	22.23mm
CGLA11507	115mm	7mm	2.0mm	22.23mm
CGLA12507	125mm	7mm	2.0mm	22.23mm
CGLA15007	150mm	7mm	2.0mm	22.23mm
CGLA18007	180mm	7mm	2.3mm	22.23mm
CGLA23007	230mm	7mm	2.5mm	22.23mm
CGLA30007	300mm	7mm	3.2mm	20/25.4mm
CGLA35007	350mm	7mm	3.2mm	25.4mm
CGLA40007	400mm	7mm	3.2mm	25.4mm



CGLB

**Laser welded blade-10mm height**

**superior long life cutting!**

Applications:cutting bricks, block, slate, concrete,masonry with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CGLB10510	105mm	10mm	2.0mm	22.23mm
CGLB11510	115mm	10mm	2.0mm	22.23mm
CGLB12510	125mm	10mm	2.0mm	22.23mm
CGLB15010	150mm	10mm	2.0mm	22.23mm
CGLB18010	180mm	10mm	2.3mm	22.23mm
CGLB23010	230mm	10mm	2.5mm	22.23mm
CGLB30010	300mm	10mm	3.2mm	20/25.4mm
CGLB35010	350mm	10mm	3.2mm	25.4mm
CGLB40010	400mm	10mm	3.2mm	25.4mm








CGLT

**Laser welded turbo blade superior fast cutting!**  
 Applications:cutting bricks, block, slate, concrete,masonry with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CGLT10510	105mm	10mm	2.0mm	22.23mm
CGLT11510	115mm	10mm	2.0mm	22.23mm
CGLT12510	125mm	10mm	2.0mm	22.23mm
CGLT15010	150mm	10mm	2.0mm	22.23mm
CGLT18010	180mm	10mm	2.3mm	22.23mm
CGLT23010	230mm	10mm	2.5mm	22.23mm
CGLT30010	300mm	10mm	3.2mm	20/25.4mm
CGLT35010	350mm	10mm	3.2mm	25.4mm
CGLT40010	400mm	10mm	3.2mm	25.4mm



CGSG

**Sinter hot-pressed blade more cost-effective!**  
 Applications:cutting bricks, block, slate, concrete,masonry with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CGSG10508	105mm	8mm	2.0mm	22.23mm
CGSG11508	115mm	8mm	2.0mm	22.23mm
CGSG12508	125mm	8mm	2.0mm	22.23mm
CGSG15008	150mm	8mm	2.0mm	22.23mm
CGSG18008	180mm	8mm	2.3mm	22.23mm
CGSG23008	230mm	8mm	2.3mm	22.23mm
CGSG30010	300mm	10mm	2.8mm	20/25.4mm
CGSG35010	350mm	10mm	3.0mm	25.4mm
CGSG40010	400mm	10mm	3.2mm	25.4mm



CGST

**Sinter hot-pressed turbo blade more cost-effective!**  
 Applications:cutting bricks, block, slate, concrete,masonry with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CGST10508	105mm	8mm	2.2mm	22.23mm
CGST11508	115mm	8mm	2.2mm	22.23mm
CGST12508	125mm	8mm	2.2mm	22.23mm
CGST15008	150mm	8mm	2.2mm	22.23mm
CGST18008	180mm	8mm	2.5mm	22.23mm
CGST23008	230mm	8mm	2.7mm	22.23mm
CGST30010	300mm	10mm	3.2mm	20/25.4mm
CGST35010	350mm	10mm	3.2mm	25.4mm
CGST40010	400mm	10mm	3.2mm	25.4mm



CCLA

## Concrete blade

**Laser welded blade**  
 Applications:various kinds of cured concrete, reinforced concrete, concrete slab with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CCLA30010	300mm	10mm	3.2mm	20/25.4mm
CCLA35010	350mm	10mm	3.2mm	25.4mm
CCLA40010	400mm	10mm	3.2mm	25.4mm
CCLA45010	450mm	10mm	3.6mm	25.4mm
CCLA50010	500mm	10mm	3.6mm	25.4mm
CCLA55010	550mm	10mm	3.6mm	25.4mm
CCLA60010	600mm	10mm	4.5mm	25.4mm



CCLB

**Laser welded blade protective segment!**  
 Applications:green concrete,asphalt-concrete and other abrasive materials with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CCLB30010	300mm	10mm	3.2mm	20/25.4mm
CCLB35010	350mm	10mm	3.2mm	25.4mm
CCLB40010	400mm	10mm	3.2mm	25.4mm
CCLB45010	450mm	10mm	3.6mm	25.4mm
CCLB50010	500mm	10mm	3.6mm	25.4mm
CCLB55010	550mm	10mm	3.6mm	25.4mm
CCLB60010	600mm	10mm	4.5mm	25.4mm



CCLC

**Laser welded blade superior fast cutting!**  
 Applications:green concrete,asphalt-concrete and other abrasive materials with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CCLC30010	300mm	10mm	3.2mm	20/25.4mm
CCLC35010	350mm	10mm	3.2mm	25.4mm
CCLC40010	400mm	10mm	3.2mm	25.4mm
CCLC45010	450mm	10mm	3.6mm	25.4mm
CCLC50010	500mm	10mm	3.6mm	25.4mm







CCSS

**Sinter hot-pressed blade** more cost-effective!  
 Applications: various kinds of cured concrete, reinforced concrete, concrete slab with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CCSS10510	105mm	10mm	2.0mm	22.23mm
CCSS11510	115mm	10mm	2.0mm	22.23mm
CCSS12510	125mm	10mm	2.0mm	22.23mm
CCSS15010	150mm	10mm	2.0mm	22.23mm
CCSS18010	180mm	10mm	2.3mm	22.23mm
CCSS23010	230mm	10mm	2.5mm	22.23mm
CCSS30010	300mm	10mm	3.2mm	20/25.4mm
CCSS35010	350mm	10mm	3.2mm	25.4mm
CCSS40010	400mm	10mm	3.2mm	25.4mm



## Asphalt blade



CALS

**Laser welded blade** protective segment!  
 Applications: asphalt, asphalt-concrete and other abrasive materials with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CALS30010	300mm	10mm	3.2mm	20/25.4mm
CALS35010	350mm	10mm	3.2mm	25.4mm
CALS40010	400mm	10mm	3.2mm	25.4mm
CALS45010	450mm	10mm	3.6mm	25.4mm
CALS50010	500mm	10mm	3.6mm	25.4mm
CALS55010	550mm	10mm	3.6mm	25.4mm
CALS60010	600mm	10mm	4.5mm	25.4mm



CALU

**Laser welded blade** protective segment!  
 Applications: asphalt, asphalt-concrete and other abrasive materials with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CALU30010	300mm	10mm	3.2mm	20/25.4mm
CALU35010	350mm	10mm	3.2mm	25.4mm
CALU40010	400mm	10mm	3.2mm	25.4mm
CALU45010	450mm	10mm	3.6mm	25.4mm
CALU50010	500mm	10mm	3.6mm	25.4mm
CALU55010	550mm	10mm	3.6mm	25.4mm
CALU60010	600mm	10mm	4.5mm	25.4mm



## Wall Saw Blade



CWLA

**Laser welded blade**  
 Applications: cutting concrete wall, reinforced concrete wall and block wall with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CWLA600	600mm	10/12mm	4.0mm	60mm
CWLA650	650mm	10/12mm	4.0mm	60mm
CWLA700	700mm	10/12mm	4.5mm	60mm
CWLA750	750mm	10/12mm	4.5mm	60mm
CWLA800	800mm	10/12mm	4.5mm	60mm
CWLA900	900mm	10/12mm	4.5mm	60mm
CWLA1000	1000mm	10/12mm	5.0mm	60mm
CWLA1200	1200mm	10/12mm	5.0mm	60mm



CWLB

**Laser welded blade**  
 Applications: cutting concrete wall, reinforced concrete wall and block wall with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CWLB600	600mm	10/12mm	4.0mm	60mm
CWLB650	650mm	10/12mm	4.0mm	60mm
CWLB700	700mm	10/12mm	4.5mm	60mm
CWLB750	750mm	10/12mm	4.5mm	60mm
CWLB800	800mm	10/12mm	4.5mm	60mm
CWLB900	900mm	10/12mm	4.5mm	60mm
CWLB1000	1000mm	10/12mm	5.0mm	60mm
CWLB1200	1200mm	10/12mm	5.0mm	60mm



CWLC

**Laser welded blade**  
 Applications: cutting concrete wall, reinforced concrete wall and block wall with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CWLC600	600mm	10/12mm	4.0mm	60mm
CWLC650	650mm	10/12mm	4.0mm	60mm
CWLC700	700mm	10/12mm	4.5mm	60mm
CWLC750	750mm	10/12mm	4.5mm	60mm
CWLC800	800mm	10/12mm	4.5mm	60mm
CWLC900	900mm	10/12mm	4.5mm	60mm
CWLC1000	1000mm	10/12mm	5.0mm	60mm
CWLC1200	1200mm	10/12mm	5.0mm	60mm





## Tile Blade



CTSA

**Sinter hot-pressed continuous blade**

Applications: professionally cutting ceramic tile and porcelain with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CTSA105	105mm	7/10mm	1.7mm	22.23mm
CTSA115	115mm	7/10mm	1.7mm	22.23mm
CTSA125	125mm	7/10mm	1.7mm	22.23mm
CTSA150	150mm	7/10mm	1.7mm	22.23mm
CTSA180	180mm	7/10mm	1.7mm	22.23mm
CTSA200	200mm	7/10mm	1.7mm	22.23mm
CTSA230	230mm	7/10mm	1.7mm	22.23mm
CTSA250	250mm	7/10mm	1.7mm	22.23mm
CTSA300	300mm	7/10mm	2.2mm	25.4/50/60mm
CTSA350	350mm	7/10mm	2.4mm	25.4/50/60mm
CTSA400	400mm	7/10mm	2.6mm	25.4/50/60mm



CTSC

**Sinter hot-pressed continuous blade**

**silent cutting slot!**

Applications: professionally cutting ceramic tile and porcelain with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CTSC105	105mm	7/10mm	1.7mm	22.23mm
CTSC115	115mm	7/10mm	1.7mm	22.23mm
CTSC125	125mm	7/10mm	1.7mm	22.23mm
CTSC150	150mm	7/10mm	1.7mm	22.23mm
CTSC180	180mm	7/10mm	1.7mm	22.23mm
CTSC200	200mm	7/10mm	1.7mm	22.23mm
CTSC230	230mm	7/10mm	1.7mm	22.23mm
CTSC250	250mm	7/10mm	1.7mm	22.23mm
CTSC300	300mm	7/10mm	2.2mm	25.4/50/60mm
CTSC350	350mm	7/10mm	2.4mm	25.4/50/60mm
CTSC400	400mm	7/10mm	2.6mm	25.4/50/60mm



CTSB

**Sinter hot-pressed continuous blade**      **silent cutting slot!**

Applications: professionally cutting ceramic tile and porcelain with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CTSB105	105mm	7/10mm	1.7mm	22.23mm
CTSB115	115mm	7/10mm	1.7mm	22.23mm
CTSB125	125mm	7/10mm	1.7mm	22.23mm
CTSB150	150mm	7/10mm	1.7mm	22.23mm
CTSB180	180mm	7/10mm	1.7mm	22.23mm
CTSB200	200mm	7/10mm	1.7mm	22.23mm
CTSB230	230mm	7/10mm	1.7mm	22.23mm
CTSB250	250mm	7/10mm	1.7mm	22.23mm
CTSB300	300mm	7/10mm	2.2mm	25.4/50/60mm
CTSB350	350mm	7/10mm	2.4mm	25.4/50/60mm
CTSB400	400mm	7/10mm	2.6mm	25.4/50/60mm



CTSD

**Sinter hot-pressed continuous blade**

Applications: professionally cutting hard porcelain tile with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CTSD10510	105mm	10mm	1.3mm	20/22.23mm
CTSD11010	110mm	10mm	1.3mm	20/22.23mm
CTSD11510	115mm	10mm	1.3mm	20/22.23mm
CTSD12510	125mm	10mm	1.3mm	20/22.23mm



CTSE

**Sinter hot-pressed continuous blade**

Applications: professionally cutting hard porcelain tile with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CTSE10510	105mm	10mm	1.3mm	20/22.23mm
CTSE11010	110mm	10mm	1.3mm	20/22.23mm
CTSE11510	115mm	10mm	1.3mm	20/22.23mm
CTSE12510	125mm	10mm	1.3mm	20/22.23mm





## Tuck point blade



CTP

### Laser welded blade

Applications: Removing mortar joints in bricks, concrete, masonry with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CTPA11510	115mm	10mm	6.4mm	22.23mm
CTPB11510	115mm	10mm	9.5mm	22.23mm
CTPA12510	125mm	10mm	6.4mm	22.23mm
CTPB12510	125mm	10mm	9.5mm	22.23mm
CTPA18010	180mm	10mm	6.4mm	22.23mm
CTPB18010	180mm	10mm	9.5mm	22.23mm



## Crack chaser blade



CCC

### Laser welded blade

Applications: Removing mortar joints in bricks, concrete, masonry with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CCCA11510	115mm	10mm	6.4mm	22.23mm
CCCB11510	115mm	10mm	9.5mm	22.23mm
CCCA12510	125mm	10mm	6.4mm	22.23mm
CCCB12510	125mm	10mm	9.5mm	22.23mm
CCCA18010	180mm	10mm	6.4mm	22.23mm
CCCB18010	180mm	10mm	9.5mm	22.23mm



## Ring saw blade



CRL

### Laser welded blade

Applications: various kinds of cured concrete, reinforced concrete, concrete slab with superior efficiency.

Item No.	Diameter	Segment Height	Segment Width	Arbor
CRL35010	350mm	10mm	4.2mm	



# Grinding Cup Wheel

## Single row cup wheel



CGWS

Applications: rough surface grinding different kinds of concrete and masonry materials with superior efficiency

Item No.	Diameter	Segment No.	Segment Width	Arbor
CGWS10005	100mm	8	5.5mm	7/8", 5/8"-11, M14
CGWS11505	115mm	9	5.5mm	7/8", 5/8"-11, M14
CGWS12505	125mm	10	5.5mm	7/8", 5/8"-11, M14
CGWS15005	150mm	12	5.5mm	7/8", 5/8"-11, M14
CGWS18005	180mm	12	5.5mm	7/8", 5/8"-11, M14



## Double row cup wheel



CGWD

Applications: rough surface grinding different kinds of concrete and masonry materials with superior efficiency

Item No.	Diameter	Segment No.	Segment Width	Arbor
CGWD10005	100mm	13	5.5mm	7/8", 5/8"-11, M14
CGWD11505	115mm	16	5.5mm	7/8", 5/8"-11, M14
CGWD12505	125mm	18	5.5mm	7/8", 5/8"-11, M14
CGWD15005	150mm	19	5.5mm	7/8", 5/8"-11, M14
CGWD18005	180mm	22	5.5mm	7/8", 5/8"-11, M14





## T segment cup wheel



CGWT

Applications:rough surface grinding different kinds of concrete and masonry materials with superior efficiency

Item No.	Diameter	Segment No.	Segment Width	Arbor
CGWT10505	100mm	8	5.5mm	7/8",5/8"-11,M14
CGWT11505	115mm	9	5.5mm	7/8",5/8"-11,M14
CGWT12505	125mm	10	5.5mm	7/8",5/8"-11,M14
CGWT15005	150mm	12	5.5mm	7/8",5/8"-11,M14
CGWT18005	180mm	14	5.5mm	7/8",5/8"-11,M14



## Cyclone cup wheel



CGWC

Applications:rough surface grinding different kinds of concrete and masonry materials with superior efficiency

Item No.	Diameter	Segment No.	Segment Width	Arbor
CGWC10505	105mm	9	5.5mm	7/8",5/8"-11,M14
CGWC11505	115mm	9	5.5mm	7/8",5/8"-11,M14
CGWC12505	125mm	9	5.5mm	7/8",5/8"-11,M14
CGWC15005	150mm	12	5.5mm	7/8",5/8"-11,M14
CGWC18005	180mm	12	5.5mm	7/8",5/8"-11,M14



## L segment cup wheel



CGWL

Applications:rough surface grinding different kinds of concrete and masonry materials with superior efficiency

Item No.	Diameter	Segment No.	Segment Width	Arbor
CGWL10504	105mm	9	4.5mm	7/8",5/8"-11,M14
CGWL11504	115mm	9	4.5mm	7/8",5/8"-11,M14
CGWL12504	125mm	10	4.5mm	7/8",5/8"-11,M14
CGWL15004	150mm	11	4.5mm	7/8",5/8"-11,M14
CGWL18004	180mm	12	4.5mm	7/8",5/8"-11,M14



## F segment cup wheel



CGWF

Applications:rough surface grinding different kinds of concrete and masonry materials with superior efficiency

Item No.	Diameter	Segment No.	Segment Width	Arbor
CGWF10505	105mm	5	5mm	7/8",5/8"-11,M14
CGWF11505	115mm	5	5mm	7/8",5/8"-11,M14
CGWF12505	125mm	7	5mm	7/8",5/8"-11,M14
CGWF15005	150mm	7	5mm	7/8",5/8"-11,M14
CGWF18005	180mm	7	5mm	7/8",5/8"-11,M14



## Grinding plate



CGPA

Applications:grinding different hardness of concrete and masonry materials with superior efficiency

Item No.	Segment No.	Segment Thickness	Diamond Grit
CGPA10	4	10.5mm	Coarse 35/40
			Medium 50/60
			Fine 100/120



CGPB

Applications:grinding different hardness of concrete and masonry materials with superior efficiency

Item No.	Segment No.	Segment Thickness	Diamond Grit
CGPB10	4	10.5mm	Coarse 35/40
			Medium 50/60
			Fine 100/120



CGHA

Applications:grinding different hardness of concrete and masonry materials with superior efficiency

Item No.	Segment No.	Segment Thickness	Diamond Grit
CGHA10	2	10mm	Coarse 35/40
			Medium 50/60
			Fine 100/120







CGHB

Applications:grinding different hardness of concrete and masonry materials with superior efficiency

Item No.	Segment No.	Segment Thickness	Diamond Grit
CGHB10	2	10mm	Coarse 35/40 Medium 50/60 Fine 100/120



## Grinding disc



CGDA

Applications:grinding different hardness of concrete and masonry materials with superior efficiency

Item No.	Diameter	Segment No.	Segment Thickness	Diamond Grit
CGDA250	250mm	20	10mm	Coarse 35/40 Medium 50/60 Fine 100/120



CGHC

Applications:grinding different hardness of concrete and masonry materials with superior efficiency

Item No.	Segment No.	Segment Thickness	Diamond Grit
CGHC10	2	10mm	Coarse 35/40 Medium 50/60 Fine 100/120



CGDB

Applications:grinding different hardness of concrete and masonry materials with superior efficiency

Item No.	Diameter	Segment No.	Segment Thickness	Diamond Grit
CGDB250	250mm	20	10mm	Coarse 35/40 Medium 50/60 Fine 100/120



CGHD

Applications:grinding different hardness of concrete and masonry materials with superior efficiency

Item No.	Segment No.	Segment Thickness	Diamond Grit
CGHD08	2	8mm	PCD



CGDC

Applications:grinding different hardness of concrete and masonry materials with superior efficiency

Item No.	Diameter	Segment No.	Segment Thickness	Diamond Grit
CGDC250	250mm	20	10mm	Coarse 35/40 Medium 50/60 Fine 100/120







# Diamond Core Drill

## Wet core drill

Applications:drilling concrete,reinforced concrete,masonry with superior efficiency



CWDA

Item No.	Diameter	Segment Height	Arbor	Effective Length
CWDA02545010	25mm	10	1 1/4"-7	450mm
CWDA03245010	32mm	10	1 1/4"-7	450mm
CWDA03645010	36mm	10	1 1/4"-7	450mm
CWDA04245010	42mm	10	1 1/4"-7	450mm
CWDA05245010	52mm	10	1 1/4"-7	450mm
CWDA06245010	62mm	10	1 1/4"-7	450mm
CWDA06645010	66mm	10	1 1/4"-7	450mm
CWDA07245010	72mm	10	1 1/4"-7	450mm
CWDA07645010	76mm	10	1 1/4"-7	450mm
CWDA08245010	82mm	10	1 1/4"-7	450mm
CWDA09245010	92mm	10	1 1/4"-7	450mm
CWDA10245010	102mm	10	1 1/4"-7	450mm
CWDA11245010	112mm	10	1 1/4"-7	450mm
CWDA12745010	127mm	10	1 1/4"-7	450mm
CWDA13245010	132mm	10	1 1/4"-7	450mm
CWDA15245010	152mm	10	1 1/4"-7	450mm
CWDA16245010	162mm	10	1 1/4"-7	450mm
CWDA17245010	172mm	10	1 1/4"-7	450mm
CWDA18245010	182mm	10	1 1/4"-7	450mm
CWDA20045010	200mm	10	1 1/4"-7	450mm
CWDA25045010	250mm	10	1 1/4"-7	450mm
CWDA30045010	300mm	10	1 1/4"-7	450mm
CWDA35045010	350mm	10	1 1/4"-7	450mm



## Turbo core drill

**turbo segment-fast drilling!**

Applications:drilling concrete,reinforced concrete,masonry with superior efficiency



CWDB

Item No.	Diameter	Segment Height	Arbor	Effective Length
CWDB03245010	32mm	10	1 1/4"-7	450mm
CWDB03645010	36mm	10	1 1/4"-7	450mm
CWDB04245010	42mm	10	1 1/4"-7	50mm
CWDB05245010	52mm	10	1 1/4"-7	450mm
CWDB06245010	62mm	10	1 1/4"-7	450mm
CWDB07245010	72mm	10	1 1/4"-7	450mm
CWDB08245010	82mm	10	1 1/4"-7	450mm
CWDB09245010	92mm	10	1 1/4"-7	450mm
CWDB10245010	102mm	10	1 1/4"-7	450mm
CWDB11245010	112mm	10	1 1/4"-7	450mm
CWDB12745010	127mm	10	1 1/4"-7	450mm
CWDB13245010	132mm	10	1 1/4"-7	450mm
CWDB15245010	152mm	10	1 1/4"-7	450mm
CWDB16245010	162mm	10	1 1/4"-7	450mm
CWDB17245010	172mm	10	1 1/4"-7	450mm
CWDB18245010	182mm	10	1 1/4"-7	450mm
CWDB20045010	200mm	10	1 1/4"-7	450mm
CWDB25045010	250mm	10	1 1/4"-7	450mm
CWDB30045010	300mm	10	1 1/4"-7	450mm
CWDB35045010	350mm	10	1 1/4"-7	450mm





## Dry core drill



CDCD



### turbo segment-fast drilling!

Applications:dry drilling concrete,reinforced concrete,masonry with superior efficiency

Item No.	Diameter	Segment Height	Arbor	Effective Length
CDCD03215010	32mm	10mm	M16	150mm
CDCD03815010	38mm	10mm	M16	150mm
CDCD04215010	42mm	10mm	M16	150mm
CDCD05215010	52mm	10mm	M16	150mm
CDCD06815010	68mm	10mm	M16	150mm
CDCD08515010	85mm	10mm	M16	150mm
CDCD10215010	102mm	10mm	M16	150mm
CDCD10715010	107mm	10mm	M16	150mm
CDCD11715010	117mm	10mm	M16	150mm
CDCD12715010	127mm	10mm	M16	150mm
CDCD15215010	152mm	10mm	M16	150mm
CDCD16215010	162mm	10mm	M16	150mm
CDCD18215010	182mm	10mm	M16	150mm
CDCD20015010	200mm	10mm	M16	150mm

## Core drills barrel

Applications:barrels of wet core drills,Three-Piece core drills etc as requested size..



CCDB

## Three-piece diamond core drills



CTCD



### Lengthening Drilling!

Wet Core Drill

Applications:drilling concrete,reinforced concrete,masonry with superior efficiency

Item No.	Diameter	Core Bit Length	Steel Tube Length	Adapter Length	Total Length
CTCD02509	1"	50mm	300mm	100mm	420mm
CTCD03209	1-1/4"	55mm	300mm	100mm	415mm
CTCD03809	1-1/2"	65mm	300mm	100mm	405mm
CTCD05109	2"	65mm	300mm	100mm	405mm
CTCD06209	2-1/2"	70mm	300mm	100mm	410mm
CTCD07509	3"	70mm	300mm	100mm	410mm
CTCD08809	3-1/2"	70mm	300mm	100mm	410mm
CTCD10809	4"	100mm	300mm	100mm	440mm
CTCD12609	5"	120mm	300mm	100mm	460mm
CTCD15809	6"	120mm	300mm	100mm	460mm
CTCD17809	7"	120mm	300mm	100mm	460mm
CTCD20309	8"	120mm	300mm	100mm	460mm
CTCD22809	9"	120mm	300mm	100mm	460mm
CTCD25209	10"	120mm	300mm	100mm	460mm
CTCD30009	12"	120mm	300mm	100mm	460mm
CTCD35009	14"	120mm	300mm	100mm	460mm
CTCD40009	16"	120mm	300mm	100mm	460mm
CTCD45009	18"	120mm	300mm	100mm	460mm
CTCD50009	20"	120mm	300mm	100mm	460mm

## Diamond segments

Application: Brazing or Laser welding to brazed or laser welded diamond core bits.







# Diamond Wire

## Concrete wire



CCWS


Applications: flexible concrete and reinforced concrete cutting with superior efficiency

Item No.	Bead Diameter	Beads No./Meter	Fixing
CCWS10540	10.5mm	40	Rubber+Spring
CCWS11040	11.0mm	40	Rubber+Spring
CCWS11540	11.5mm	40	Rubber+Spring



Cutting Material	Line Speed m/s	Cutting Speed m <sup>2</sup> /h	Wire Life m <sup>2</sup> /m
normal concrete	22-28	2.0-5.0	2.0-7.0
heavy reinforced concrete	18-25	0.8-2.0	1.5-2.5
steels	16-22	0.5-1.0	0.5-1.2





# STONE TOOLS

## Stone Blade

Granite blade • Marble blade • Stone turbo blade • Electroplate blade  
Vacuum brazed blade

## Diamond Wire

Granite wire • Marble wire

## Gang Saw Blade

Gang saw blade

## Stone Segment

Stone segment

## Grinding Cup Wheel

Aluminum turbo wheel • Turbo wheel

## Polishing Pads

Dry polishing pads • Wet polishing pads

## Diamond Core Drill

Core drill • Electroplated core drill

## Stone Blade

### Granite blade




SGBA

#### Granite blade

Applications: wet cutting granite and other stone materials with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
SGBA25015	250mm	15mm	3.0mm	60mm
SGBA30015	300mm	15mm	3.2mm	60mm
SGBA35015	350mm	15mm	3.2mm	60mm
SGBA40015	400mm	15mm	3.4mm	60mm
SGBA45015	450mm	15mm	3.6mm	60mm
SGBA50015	500mm	15mm	3.6mm	60mm
SGBA60015	600mm	15mm	4.0mm	60mm



SGBB

#### Granite silent blade

#### Low Noise!


Applications: sandwich steel core, wet cutting granite and other stone materials with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
SGBB25015	250mm	15mm	3.0mm	60mm
SGBB30015	300mm	15mm	3.2mm	60mm
SGBB35015	350mm	15mm	3.2mm	60mm
SGBB40015	400mm	15mm	3.4mm	60mm
SGBB45015	450mm	15mm	3.6mm	60mm
SGBB50015	500mm	15mm	3.6mm	60mm
SGBB60015	600mm	15mm	4.0mm	60mm





## Marble blade




SMBA

### Marble blade

Applications: wet cutting marble with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
SMBA25010	250mm	10mm	3.0mm	60mm
SMBA30010	300mm	10mm	3.2mm	60mm
SMBA35010	350mm	10mm	3.2mm	60mm
SMBA40010	400mm	10mm	3.4mm	60mm
SMBA45010	450mm	10mm	3.6mm	60mm
SMBA50010	500mm	10mm	3.6mm	60mm
SMBA60010	600mm	10mm	4.0mm	60mm




STBB

### Sintered hot-pressed blade

superior long life cutting!

Applications: cutting granite, marble and other stone materials with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
STBB10510	105mm	10mm	2.2mm	22.23mm
STBB11510	115mm	10mm	2.2mm	22.23mm
STBB12510	125mm	10mm	2.2mm	22.23mm
STBB15010	150mm	10mm	2.2mm	22.23mm
STBB18010	180mm	10mm	2.5mm	22.23mm
STBB23010	230mm	10mm	2.7mm	22.23mm
STBB30010	300mm	10mm	3.2mm	25.4mm
STBB35010	350mm	10mm	3.2mm	25.4mm




SMBB

### Marble silent blade

Low Noise!

Applications: sandwich steel core, wet cutting marble with superior efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
SMBB25010	250mm	10mm	3.0mm	60mm
SMBB30010	300mm	10mm	3.2mm	60mm
SMBB35010	350mm	10mm	3.2mm	60mm
SMBB40010	400mm	10mm	3.4mm	60mm
SMBB45010	450mm	10mm	3.6mm	60mm
SMBB50010	500mm	10mm	3.6mm	60mm
SMBB60010	600mm	10mm	4.0mm	60mm



STBC

### Sintered hot-pressed blade

protective segment!

Applications: cutting granite, marble and other stone materials with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
STBC10509	105mm	9mm	2.2mm	22.23mm
STBC11509	115mm	9mm	2.2mm	22.23mm
STBC12509	125mm	9mm	2.2mm	22.23mm
STBC15009	150mm	9mm	2.2mm	22.23mm
STBC18009	180mm	9mm	2.5mm	22.23mm
STBC23009	230mm	9mm	2.7mm	22.23mm
STBC30012	300mm	12mm	3.0mm	25.4mm
STBC35012	350mm	12mm	3.0mm	25.4mm



## Stone turbo blade



STBA

### Sintered hot-pressed blade

Applications: cutting granite, marble and other stone materials with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
STBA10508	105mm	8mm	2.2mm	22.23mm
STBA11508	115mm	8mm	2.2mm	22.23mm
STBA12508	125mm	8mm	2.2mm	22.23mm
STBA15008	150mm	8mm	2.2mm	22.23mm
STBA18008	180mm	8mm	2.5mm	22.23mm
STBA23008	230mm	8mm	2.7mm	22.23mm
STBA30010	300mm	10mm	3.2mm	25.4mm
STBA35010	350mm	10mm	3.2mm	25.4mm



STBD

### Sintered hot-pressed blade

Applications: cutting granite, marble and other stone materials with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
STBD10508	105mm	8mm	2.2mm	22.23mm
STBD11508	115mm	8mm	2.2mm	22.23mm
STBD12508	125mm	8mm	2.2mm	22.23mm
STBD15008	150mm	8mm	2.2mm	22.23mm
STBD18008	180mm	8mm	2.5mm	22.23mm
STBD23008	230mm	8mm	2.7mm	22.23mm
STBD30010	300mm	10mm	3.2mm	25.4mm
STBD35010	350mm	10mm	3.2mm	25.4mm







STBE

**Sintered hot-pressed blade**

**abrasive materials cutting!**

Applications:cutting granite,marble and other stone materials with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
STBE10508	105mm	8mm	2.2mm	22.23mm
STBE11508	115mm	8mm	2.2mm	22.23mm
STBE12508	125mm	8mm	2.2mm	22.23mm
STBE15008	150mm	8mm	2.2mm	22.23mm
STBE18008	180mm	8mm	2.5mm	22.23mm
STBE23008	230mm	8mm	2.7mm	22.23mm
STBE30010	300mm	10mm	3.2mm	25.4mm
STBE35010	350mm	10mm	3.2mm	25.4mm



**Concave blade**



SCBA

**Sinter hot-pressed blade**

**protective T shape segment!**

Applications:for curved cutting in granite and marble with superior efficiency.

Item No.	Diameter	Segment Height	Segment Width	Arbor
SCBA10509	105mm	9mm	3.8mm	22.23mm
SCBA11509	115mm	9mm	3.8mm	22.23mm
SCBA12509	125mm	9mm	3.8mm	22.23mm
SCBA15009	150mm	9mm	3.8mm	22.23mm
SCBA18009	180mm	9mm	3.8mm	22.23mm




STBF

**Sintered hot-pressed blade**

**wave turbo!**

Applications:dry cutting granite and other stone materials with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
STBF12510	125mm	10mm	2.2mm	22.23mm
STBF15010	150mm	10mm	2.2mm	22.23mm
STBF18010	180mm	10mm	2.5mm	22.23mm
STBF20010	200mm	10mm	2.5mm	22.23mm
STBF23010	230mm	10mm	2.7mm	22.23mm



SCBB

**Sintered hot-pressed blade**

**Turbo segment!**

Applications:for curved cutting in granite and marble with superior efficiency.

Item No.	Diameter	Segment Height	Segment Width	Arbor
SCBB10508	105mm	8mm	2.2mm	22.23mm
SCBB11508	115mm	8mm	2.2mm	22.23mm
SCBB12508	125mm	8mm	2.2mm	22.23mm
SCBB15008	150mm	8mm	2.2mm	22.23mm
SCBB18008	180mm	8mm	2.5mm	22.23mm



STBG

**Sintered hot-pressed blade**

**flat turbo!**

Applications:dry cutting granite and other stone materials with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
STBG12510	125mm	10mm	2.2mm	22.23mm
STBG15010	150mm	10mm	2.2mm	22.23mm
STBG18010	180mm	10mm	2.5mm	22.23mm
STBG20010	200mm	10mm	2.5mm	22.23mm
STBG23010	230mm	10mm	2.7mm	22.23mm



SCBC

**Sintered hot-pressed blade**

**Turbo T segment!**

Applications:for curved cutting in granite and marble with superior efficiency.

Item No.	Diameter	Segment Height	Segment Width	Arbor
SCBC10508	105mm	8mm	2.2mm	22.23mm
SCBC11508	115mm	8mm	2.2mm	22.23mm
SCBC12508	125mm	8mm	2.2mm	22.23mm
SCBC15008	150mm	8mm	2.2mm	22.23mm
SCBC18008	180mm	8mm	2.5mm	22.23mm





## Electroplate blade




SEBA

### Electroplate blade for granite&marble

Applications:cutting granite,marble and other stone materials with good efficiency

Item No.	Diameter	Segment Height	Arbor
SEBA10503	105mm	3mm	22.23mm
SEBA11503	115mm	3mm	22.23mm
SEBA12503	125mm	3mm	22.23mm
SEBA15003	150mm	3mm	22.23mm
SEBA18003	180mm	3mm	22.23mm
SEBA23003	230mm	3mm	22.23mm



SEBD

### Electroplate blade for granite&marble

Applications:cutting granite,marble and other stone materials with good efficiency

Item No.	Diameter	Segment Height	Arbor
SEBD10503	105mm	3mm	22.23mm
SEBD11503	115mm	3mm	22.23mm
SEBD12503	125mm	3mm	22.23mm
SEBD15003	150mm	3mm	22.23mm
SEBD18003	180mm	3mm	22.23mm
SEBD23003	230mm	3mm	22.23mm



SEBB


### Electroplate blade for granite&marble

Applications:cutting granite,marble and other stone materials with good efficiency

Item No.	Diameter	Segment Height	Arbor
SEBB10503	105mm	3mm	22.23mm
SEBB11503	115mm	3mm	22.23mm
SEBB12503	125mm	3mm	22.23mm
SEBB15003	150mm	3mm	22.23mm
SEBB18003	180mm	3mm	22.23mm
SEBB23003	230mm	3mm	22.23mm



## Vacuum brazed blade



SVBA

### Vacuum brazed blade for granite&marble

Applications:cutting granite,marble and other stone materials with good efficiency

Item No.	Diameter	Segment Height	Arbor
SVBA10503	105mm	3mm	22.23mm
SVBA11503	115mm	3mm	22.23mm
SVBA12503	125mm	3mm	22.23mm
SVBA15003	150mm	3mm	22.23mm
SVBA18003	180mm	3mm	22.23mm
SVBA23003	230mm	3mm	22.23mm



SEBC

### Electroplate blade for granite&marble

Applications:cutting granite,marble and other stone materials with good efficiency

Item No.	Diameter	Segment Height	Arbor
SEBC10503	105mm	3mm	22.23mm
SEBC11503	115mm	3mm	22.23mm
SEBC12503	125mm	3mm	22.23mm
SEBC15003	150mm	3mm	22.23mm
SEBC18003	180mm	3mm	22.23mm
SEBC23003	230mm	3mm	22.23mm



SVBB

### Vacuum brazed blade for granite&marble

Applications:cutting granite,marble and other stone materials with good efficiency

Item No.	Diameter	Segment Height	Arbor
SVBB10503	105mm	3mm	22.23mm
SVBB11503	115mm	3mm	22.23mm
SVBB12503	125mm	3mm	22.23mm
SVBB15003	150mm	3mm	22.23mm
SVBB18003	180mm	3mm	22.23mm
SVBB23003	230mm	3mm	22.23mm







# Diamond Wire

## Granite wire



SGWS

### Granite wire

Applications: flexible granite quarrying, block shaping, cutting with superior efficiency

Item No.	Bead Diameter	Beads No./Meter	Fixing
SGWS07237	7.2mm	37	Rubber/Plastic/Rubber+Spring
SGWS08537	8.5mm	37	Rubber/Plastic/Rubber+Spring
SGWS09037	9.0mm	37	Rubber/Plastic/Rubber+Spring
SGWS10540	10.5mm	40	Rubber/Plastic/Rubber+Spring
SGWS11040	11.0mm	40	Rubber/Plastic/Rubber+Spring
SGWS11540	11.5mm	40	Rubber/Plastic/Rubber+Spring

Cutting Material	Line Speed m/s	Cutting Speed m <sup>2</sup> /h	Wire Life m <sup>2</sup> /m
low rigidity granite	23-28	5-10	20-30
mid-hard granite	20-24	3-5	10-20
hard granite	18-22	2-4	5-10
abrasive granite	26-30	4-8	15-25



## Marble wire



SMWS

### Marble wire

Applications: flexible marble quarrying, block shaping, cutting with superior efficiency

Item No.	Bead Diameter	Beads No./Meter	Fixing
SMWS08526	8.5mm	26	Rubber/Plastic/Rubber+Spring
SMWS09028	9.0mm	28	Rubber/Plastic/Rubber+Spring
SMWS10533	10.5mm	33	Rubber/Plastic/Rubber+Spring
SMWS11033	11.0mm	33	Rubber/Plastic/Rubber+Spring
SMWS11533	11.5mm	33	Rubber/Plastic/Rubber+Spring

Cutting Material	Line Speed m/s	Cutting Speed m <sup>2</sup> /h	Wire Life m <sup>2</sup> /m
low rigidity marble	30-35	8-15	40-60
mid-hard marble	28-35	6-10	25-40
hard marble	25-30	4-8	15-25





# Gang Saw Blade

## Gang saw blade




SGSB

Applications: cutting marble, limestone and other soft stone with superior efficiency

Item No.	Length	Width	Thickness	Segment Size
SGSB2000	2000mm	180mm	2.0, 2.5, 3.0, 3.5mm	20x3.5/4x7/8mm
SGSB2500	2500mm	180mm	2.0, 2.5, 3.0, 3.5mm	20x3.5/4x7/8/10mm
SGSB2700	2700mm	180mm	2.0, 2.5, 3.0, 3.5mm	20x4/4.5/5x8/10mm
SGSB3000	3000mm	180mm	2.0, 2.5, 3.0, 3.5mm	20x4/4.5/5x8/10mm
SGSB3100	3100mm	180mm	2.0, 2.5, 3.0, 3.5mm	20x4/4.5/5x8/10mm
SGSB3500	3500mm	180mm	2.0, 2.5, 3.0, 3.5mm	20x4/4.5/5x8/10mm
SGSB3950	3950mm	180mm	2.0, 2.5, 3.0, 3.5mm	24x4/4.5/5x8/12mm
SGSB4300	4300mm	180mm	2.0, 2.5, 3.0, 3.5mm	24x5x8/12mm
SGSB4500	4500mm	180mm	2.0, 2.5, 3.0, 3.5mm	24x5x8/12mm

# Stone Segment



# Grinding Cup Wheel

## Aluminium wheel



SAWA



Aluminium turbo wheel

Light steel core!

Applications: for grinding granite, marble and other natural stone with superior efficiency

Item No.	Diameter	Segment Thickness	Arbor
SAWA10508	100mm	8mm	7/8", 5/8"-11, M14
SAWA11508	115mm	8mm	7/8", 5/8"-11, M14
SAWA12508	125mm	8mm	7/8", 5/8"-11, M14



SAWB



Aluminium turbo wheel

Light steel core!

Applications: for grinding granite, marble and other natural stone with superior efficiency

Item No.	Diameter	Segment Thickness	Arbor
SAWB10508	100mm	8mm	7/8", 5/8"-11, M14
SAWB11508	115mm	8mm	7/8", 5/8"-11, M14
SAWB12508	125mm	8mm	7/8", 5/8"-11, M14



SGWT



Turbo wheel

Applications: for grinding granite, marble and other natural stone with superior efficiency

Item No.	Diameter	Segment Thickness	Arbor
SGWT10505	105mm	5.5mm	7/8", 5/8"-11, M14
SGWT11505	115mm	5.5mm	7/8", 5/8"-11, M14
SGWT12505	125mm	5.5mm	7/8", 5/8"-11, M14
SGWT15005	150mm	5.5mm	7/8", 5/8"-11, M14
SGWT18005	180mm	5.5mm	7/8", 5/8"-11, M14





## ✦ Polishing Pads

## ✦ Diamond Core Drill

### Dry polishing pad



#### Dry stone polishing pad

Applications: dry grinding granite, marble and other stones with superior efficiency

Item No.	Diameter	Thickness	Grit	Arbor
SDPP08003	3"	3mm	50# - 3000#, Buff	Velcro
SDPP10003	4"	3mm	50# - 3000#, Buff	Velcro
SDPP12503	5"	3mm	50# - 3000#, Buff	Velcro
SDPP18003	7"	3mm	50# - 3000#, Buff	Velcro



### Wet polishing pads



#### Wet stone polishing pad

Applications: wet grinding granite, marble and other stones with superior efficiency

Item No.	Diameter	Thickness	Grit	Arbor
SWPP08003	3"	3mm	50# - 3000#, Buff	Velcro
SWPP10003	4"	3mm	50# - 3000#, Buff	Velcro
SWPP12503	5"	3mm	50# - 3000#, Buff	Velcro
SWPP18003	7"	3mm	50# - 3000#, Buff	Velcro



### Dry core drill



SDCD



#### Laser welded dry core drill

Applications: dry drilling granite, marble, masonry with superior efficiency

Item No.	Diameter	Segment Height	Arbor	Effective Length
SDCD03215010	32mm	10mm	M16	150mm
SDCD03815010	38mm	10mm	M16	150mm
SDCD04215010	42mm	10mm	M16	150mm
SDCD05215010	52mm	10mm	M16	150mm
SDCD06815010	68mm	10mm	M16	150mm
SDCD08515010	85mm	10mm	M16	150mm
SDCD10215010	102mm	10mm	M16	150mm
SDCD10815010	108mm	10mm	M16	150mm
SDCD11215010	112mm	10mm	M16	150mm
SDCD12715010	127mm	10mm	M16	150mm
SDCD15215010	152mm	10mm	M16	150mm
SDCD16215010	162mm	10mm	M16	150mm

### Electroplated core drill



SECD



#### Electroplated core drill

Applications: dry drilling granite, marble, masonry with superior efficiency

Item No.	Diameter	Segment Height	Arbor	Total Length
SECD020	20mm	3/5	5/8"-11 / M14	80mm
SECD032	32mm	3/5	5/8"-11 / M14	80mm
SECD038	38mm	3/5	5/8"-11 / M14	80mm
SECD042	42mm	3/5	5/8"-11 / M14	80mm
SECD052	52mm	3/5	5/8"-11 / M14	80mm
SECD068	68mm	3/5	5/8"-11 / M14	80mm
SECD085	85mm	3/5	5/8"-11 / M14	80mm
SECD102	102mm	3/5	5/8"-11 / M14	80mm





# DIY TOOLS

**DIY Tools For Angle Grinder**  
Single row cup wheel · Double row cup wheel · Cyclone cup wheel

**DIY Tools For Circular Saw**  
Segmented blade · Turbo blade · Continuous rim blade

**DIY Tools For Driller**  
Hole core drill · Electroplated core drill

## DIY Tools For Angle Grinder

### Cup wheel



CGWS



#### Single row cup wheel

Applications: rough surface grinding different kinds of concrete and masonry materials with superior efficiency

Item No.	Diameter	Segment No.	Segment Thickness	Arbor
CGWS10005	100mm	8	5.5mm	7/8", 5/8"-11, M14
CGWS11505	115mm	9	5.5mm	7/8", 5/8"-11, M14
CGWS12505	125mm	10	5.5mm	7/8", 5/8"-11, M14
CGWS15005	150mm	12	5.5mm	7/8", 5/8"-11, M14
CGWS18005	180mm	12	5.5mm	7/8", 5/8"-11, M14



CGWD



#### Double row cup wheel

Applications: rough surface grinding different kinds of concrete and masonry materials with superior efficiency

Item No.	Diameter	Segment No.	Segment Thickness	Arbor
CGWD10005	100mm	13	5.5mm	7/8", 5/8"-11, M14
CGWD11505	115mm	16	5.5mm	7/8", 5/8"-11, M14
CGWD12505	125mm	18	5.5mm	7/8", 5/8"-11, M14
CGWD15005	150mm	19	5.5mm	7/8", 5/8"-11, M14
CGWD18005	180mm	22	5.5mm	7/8", 5/8"-11, M14



CGWC



#### Cyclone cup wheel

Applications: rough surface grinding different kinds of concrete and masonry materials with superior efficiency

Item No.	Diameter	Segment No.	Segment Thickness	Arbor
CGWC10505	105mm	9	5.5mm	7/8", 5/8"-11, M14
CGWC11505	115mm	9	5.5mm	7/8", 5/8"-11, M14
CGWC12505	125mm	9	5.5mm	7/8", 5/8"-11, M14
CGWC15005	150mm	12	5.5mm	7/8", 5/8"-11, M14
CGWC18005	180mm	12	5.5mm	7/8", 5/8"-11, M14



# DIY Tools For Circular Saw



CCGS



## Segmented blade

Applications:cutting bricks, block, slate, concrete,masonry with good efficiency

Item No.	Diameter	Segment Height	Segment Width	Arbor
CCGS105	105mm	8/10mm	2.0mm	16/20/22.23mm
CCGS110	110mm	8/10mm	2.0mm	16/20/22.23mm
CCGS115	115mm	8/10mm	2.0mm	16/20/22.23mm
CCGS125	125mm	8/10mm	2.0mm	16/20/22.23mm
CCGS150	150mm	8/10mm	2.0mm	16/20/22.23mm
CCGS180	180mm	8/10mm	2.3mm	16/20/22.23mm
CCGS230	230mm	8/10mm	2.3mm	16/20/22.23mm

## Turbo Blade

Applications:cutting bricks, block, slate, concrete,masonry with good efficiency



CGST



Item No.	Diameter	Segment Height	Segment Width	Arbor
CGST105	105mm	8/10mm	2.2mm	16/20/22.23mm
CGST110	110mm	8/10mm	2.2mm	16/20/22.23mm
CGST115	115mm	8/10mm	2.2mm	16/20/22.23mm
CGST125	125mm	8/10mm	2.2mm	16/20/22.23mm
CGST150	150mm	8/10mm	2.2mm	16/20/22.23mm
CGST180	180mm	8/10mm	2.5mm	16/20/22.23mm
CGST230	230mm	8/10mm	2.7mm	16/20/22.23mm

## Continuous Rim Blade

Applications:cutting ceramic tile,porcelain tile etc with good efficiency



CTSA



Item No.	Diameter	Segment Height	Segment Width	Arbor
CTSA105	105mm	7/10mm	1.7mm	16/20/22.23mm
CTSA110	110mm	7/10mm	1.7mm	16/20/22.23mm
CTSA115	115mm	7/10mm	1.7mm	16/20/22.23mm
CTSA125	125mm	7/10mm	1.7mm	16/20/22.23mm
CTSA150	150mm	7/10mm	1.7mm	16/20/22.23mm
CTSA180	180mm	7/10mm	1.7mm	16/20/22.23mm
CTSA230	230mm	7/10mm	1.7mm	16/20/22.23mm

# DIY Tools For Driller



CHCD



## Hole core drill

Applications:dry drilling concrete, stone,masonry with superior efficiency

Item No.	Diameter	Segment Height	Arbor	Total Length
CHCD168010	16mm	10	5/8"-11 / M14	80mm
CHCD208010	20mm	10	5/8"-11 / M14	80mm
CHCD258010	25mm	10	5/8"-11 / M14	80mm
CHCD278010	27mm	10	5/8"-11 / M14	80mm
CHCD328010	32mm	10	5/8"-11 / M14	80mm
CHCD358010	35mm	10	5/8"-11 / M14	80mm
CHCD388010	38mm	10	5/8"-11 / M14	80mm
CHCD508010	50mm	10	5/8"-11 / M14	80mm
CHCD608010	60mm	10	5/8"-11 / M14	80mm



SECD



## Electroplated core drill

Applications:dry drilling granite,marble,masonry with superior efficiency

Item No.	Diameter	Segment Height	Arbor	Total Length
SECD020	20mm	3/5	5/8"-11 / M14	80mm
SECD032	32mm	3/5	5/8"-11 / M14	80mm
SECD038	38mm	3/5	5/8"-11 / M14	80mm
SECD042	42mm	3/5	5/8"-11 / M14	80mm
SECD052	52mm	3/5	5/8"-11 / M14	80mm
SECD068	68mm	3/5	5/8"-11 / M14	80mm
SECD085	85mm	3/5	5/8"-11 / M14	80mm
SECD102	102mm	3/5	5/8"-11 / M14	80mm





# Accessories

## ACCESSORIES

 **Accessories**  
Blade bushing · Adaptor · Flange



ACBS

### Blade bushing

Applications: bushing for saw blade, cup wheel.

Item No.	Description
ACBS2016	20-16mm
ACBS2215	7/8"-5/8"
ACBS2220	7/8"-20mm
ACBS2520	1"-20mm
ACBS6050	60-50mm



ACAD

### Adaptor

Applications: adaptor for cup wheel and core bit.

Item No.	Description
ACAD-01	M14- 5/8"-11
ACAD-02	5/8"-M14
ACAD-03	1/2BSP - 5/8"-11



ACFA

### Flange

Applications: flanges for saw blade and etc.

Item No.	Description
ACFA125-01	4"-6" steel flange
ACFA125-02	4"-6" aluminium flange




ACFB

### Flange

Applications: flanges for saw blade and etc.

Item No.	Description
ACFB230-03	aluminium flange for 230mm blade





**COREDIAM**  
REDEFINE DIAMOND TOOLS



